INFORMATION DISCLOSURE CITATION

	INFORMATI	ON DISCEOSURE CITATION	OIPE
Atty. Docket No.	8842.0001	Appln. No. 10/614,282	
Applicant	Dung-Fang LEE et al.		OCT 1 8 2004
Filing Date	July 8, 2003	Group: 1632	The season of
			& PANCHA!

U.S. PATENT DOCUMENTS						
Examiner Initial*	Document Number	Issue Date	Name	Class	Sub Class	Filing Date If Appropriate
m	4,745,051	05/17/1988	Smith et al.	435	68	
1	4,879,236	11/07/1989	Smith et al.	435	235	
	5,147,788	09/15/1992	Page et al.	435	69.1	
	10/614,283		Hsu et al.			7/8/2003

	FOREIGN PATE	NT DOCUMENT	S		
Document Number	Publication Date	Country	Class	Sub Class	Translation Yes or No
		<u> </u>			

	OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)				
97+	Bonneau, A.M. et al., "Involvement of the 24-kDa Cap-binding Protein in Regulation of Protein Synthesis in Mitosis," <i>J. Biol. Chem.</i> , 262 :11134-11139 (1987).				
	Borman, A. et al., "The involvement of a spliceosome component in internal initiation of human rhinovirus RNA translation," <i>J. Gen. Virol.</i> , 74 :1775-1788 (1993).				
	Creancier, L. et al., "c-myc Internal Ribosome Entry Site Activity Is Developmentally Controlled and Subjected to a Strong Translational Repression in Adult Transgenic Mice," <i>Mol. Cell. Biol.</i> , 21:1833-1840 (2001).				
	Dansereau, D. et al., "ectopic margin (ema) is required for refinement of Notch activity at the D/V boundary of the wing," 42nd Ann. Drosophila Res. Conf., abstr. 532A (2001).				
	Davis, M. et al., "Role of polypyrimidine tract binding (PTB) protein during Drosophila development," 42nd Ann. <i>Drosophila</i> Res. Conf., abstr. 357C (2001).				
	Finkelstein, Y. et al., "The use of bi-cistronic transfer vectors for the baculovirus expression system," <i>J. Biotech.</i> , 75:33-44 (1999).				
J.	Gurtu, V. et al., "IRES Bicistronic Expression Vectors for Efficient Creation of Stable Mammalian Cell Lines," <i>Biochem. Biophys. Res. Comm.</i> 229 :295-298 (1996).				

Examiner 2	ver le	Date Considered 12/14/04
*Examiner:	Initial if reference consi through citation if not ir communication to appli	dered, whether or not citation is in conformance with MPEP 609; draw line a conformance and not considered. Include copy of this form with next cant.
Form PTO 14	49	Patent and Trademark Office - U.S. Department of Commerce

INFORMATION DISCLOSURE CITATION

Atty. Docket No.	8842.0001	Appln. No.	10/614,282	
Applicant	Dung-Fang LEE et al.			
Filing Date	July 8, 2003	Group:	1632	

	OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)
H	Huang, J.T. et al., "Adenovirus Inhibition of Cellular Protein Synthesis Involves Inactivation of Cap- Binding Protein," <i>Cell</i> , 65 :271-280 (1991).
	Hennecke, M. et al., "Composition and arrangement of genes define the strength of IRES-driven translation in bicistronic mRNAs," <i>Nucleic Acids Res.</i> , 29 :3327-3334 (2001).
	Holcik, M. et al., "Functional Characterization of the X-Linked Inhibitor of Apoptosis (XIAP) Internal Ribosome Entry Site Element: Role of La Autoantigen in XIAP Translation," <i>Mol. Cell. Biol.</i> , 20 :4648-4657 (2000).
	Jang, S.K. et al., "Cap-independent translation of encephalomyocarditis virus RNA: structural elements of the internal ribosomal entry site and involvement of a cellular 57-kD RNA-binding protein," <i>Genes Dev.</i> , 4 :1560-1572 (1990).
	Kim, Y.K. et al., "Polypyrimidine Tract-binding Protein Inhibits Translation of Bip mRNA," <i>J. Mol. Biol.</i> , 304 :119-133 (2000).
	Le, SY. et al., "A common RNA structural motif involved in the internal initiation of translation of cellular mRNAs," <i>Nucleic Acids Res.</i> , 25 :362-369 (1997).
	Luckow V.A. et al., "Trends in the Development of Baculovirus Expression Vectors," Bio/Technology, 6:47-55 (1988).
	Luckow, V.A. "Cloning and Expression of Heterologous Genes in Insect Cells with Baculovirus Vectors," In: <i>Recombinant DNA Technology and Applications</i> , McGraw-Hill, New York, pp. 97-152 (1991).
-	Macejak, D.G. et al., "Internal initiation of translation mediated by the 5' leader of a cellular mRNA," <i>Nature</i> , 353 :90-94 (1991).
	Miller, L.K. "Baculoviruses as Gene Expression Vectors," <i>Annu. Rev. Microbiol.</i> , 42 :177-199 (1988).
	Mitchell, S.A. et al., "Protein Factor Requirements of the Apaf-1 Internal Ribosome Entry Segment: Roles of Polypyrimidine Tract Binding Protein and upstream of N-ras," <i>Mol. Cell. Biol.</i> , 21:3364-3374 (2001).
	Oh, SK. et al., "Homeotic gene <i>Antennapedia</i> mRNA contains 5'-noncoding sequences that confer translational initiation by internal ribosome binding," <i>Genes Dev.</i> , 6 :1643-1653 (1992).
	Oumard A. et al., "Translation of NRF mRNA is Mediated by Highly Efficient Internal Ribosome Entry," Mol. Cell. Biol., 20:2755-2759 (2000).

Examiner 3	val III	Date Considered 12/14/04
*Examiner:	Initial if reference cons through citation if not i communication to app	sidered, whether or not citation is in conformance with MPEP 609; draw line in conformance and not considered. Include copy of this form with next licant.
Form PTO 14	149	Patent and Trademark Office - U.S. Department of Commerce

INFORMATION DISCLOSURE CITATION

Atty. Docket No.	8842.0001	Appln. No.	10/614,282	
Applicant	Dung-Fang LEE et al.			
Filing Date	July 8, 2003	Group:	1632	

	OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)
JH	Paz, I. et al., "Starved Saccharomyces cerevisiae Cells Have the Capacity to Support Internal Initiation of Translation," J. Biol. Chem., 274:21741-21745 (1999).
	Pelletier, J. et al., "Internal initiation of translation of eukaryotic mRNA directed by a sequence derived from poliovirus RNA," <i>Nature</i> , 334 :320-325 (1988).
	Pozner, A. et al., "Transcription-Coupled Translation Control of AML1/RUNX1 Is Mediated by Capand Internal Ribosome Entry Site-Dependent Mechanisms," Mol. Cell. Biol., 20:2297-2307 (2000).
	Saleh, L. et al., "Functional interaction of translation initiation factor elF4G with the foot-and-mouth disease virus internal ribosome entry site," <i>J. Gen. Virol.</i> , 82 :757-763 (2001).
	Samow, P. "Translation of glucose-regulated protein 78/immunoglobulin heavy-chain binding protein mRNA is increased in poliovirus-infected cells at a time when cap-dependent translation of cellular mRNAs is inhibited," <i>PNAS</i> , 86 :5795-5799 (1989).
	Stoneley, M. et al., "C-Myc 5' untranslated region contains an internal ribosome entry segment," Oncogene, 16:423-428 (1998).
	Vagner, S. et al., "Alternative Translation of Human Fibroblast Growth Factor 2 mRNA Occurs by Internal Entry of Ribosomes," <i>Mol. Cell. Biol.</i> , 15 :35-44 (1995).
	Woolaway K.E. et al., "The 5' Untranslated Region of <i>Rhopalosiphum padi</i> Virus Contains an Internal Ribosome Entry Site Which Functions Efficiently in Mammalian, Plant, and Insect Translation Systems," <i>J. Virol.</i> 75 :10244-10249 (2001).
	Ye, X. et al., "Ultrabithorax and Antennapedia 5' Untranslated Regions Promote Developmentally Regulated Internal Translation Initiation," Mol. Cell. Biol., 17:1714-1721 (1997).
	Zhou, W. et al., "Transcript leader regions of two Saccharomyces cerevisiae mRNAs contain internal ribosome entry sites that function in living cells," PNAS, 98:1531-1536 (2001).
\downarrow	Zuker, M. "Computer Prediction of RNA Structure," Methods Enzymol., 180:262-288 (1989).

Examiner	000 IV	Date Considered 12/14/04
*Examiner:	Initial if reference con through citation if no communication to ap	nsidered, whether or not citation is in conformance with MPEP 609; draw line t in conformance and not considered. Include copy of this form with next oplicant.
Form PTO 14	49	Patent and Trademark Office - U.S. Department of Commerce